
TRIANGULAR HEAD SHAWL

in simple crochet

Vintage Crochet Pattern



MATERIALS:

3 ply BEEHIVE FINGERING, PATONISED. 5 ozs. One No. 0 Steel Crochet Hook (American Gauge).

MEASUREMENTS: Length from point to base approx. 27 ins.

Tension: 3 rows = 1 inch.

For Washing Instructions—see page 29.

Beginning at centre of base of triangle, Ch. 8 sts. Join in ring with s.s.

Ist row: Ch. 4. 1. d.c. in ring. (Ch. 2. 1. d.c. in ring) 6 times. Ch. 4. Turn. (7 spaces in row).

2nd row: Miss 1st. space. (1. d.c. Ch. 3. 1. d.c.) in next space. (This makes 1st. Shell). Ch. 3. 1. s.c. in next space. Ch. 3. (1. d.c. Ch. 3. 1. d.c.) in next space. (This makes 2nd Shell). Ch. 3. 1. s.c. in next space. (This makes 2nd Shell). Ch. 3. 1. s.c. in next space. Ch. 3. (1. d.c. Ch. 3. 1. d.c.) in next space. (This makes 3rd Shell). 1. d.c. in last space. Ch. 4. Turn.

3rd row: (I. d.c. Ch. 3. 1. d.c.) in 1st. Ch. 3 space. Centre) of 1st. Shell). *Ch. 3. 1. s.e. in next space. 5 d.c. in next s.c. 1. s.c. in next space. Ch. 3. (1. d.c. Ch. 3. 1. d.c.) in centre of next Shell.* Repeat from * to * once. 1. d.c. in last space. Ch. 4. Turn.

4th row: (1. d.c. Ch. 3. 1. d.c.) in 1st. Shell. *Ch. 3. 1. s.c. in next space. Ch. 4. 1. s.c. in centre d.c. of 5 d.c. of previous row. Ch. 4. 1. s.c. in next space. Ch. 3. (1. d.c. Ch. 3. 1. d.c.) in next Shell.* Repeat from * to * once. 1. d.c. in last space. Ch. 4. Turn.

5th row: Shell in 1st, Shell. *Ch. 3. (1. s.c. Ch. 4) in each of next 3 spaces. 1. s.c. in next space. Ch. 3. Shell in next Shell.* Repeat from * to * once. 1. d.c. in last space. Ch. 4. Turn.

6th row: Shell in 1st. Shell. *Ch. 3. 1. s.c. in next space. 5 d.c. in next s.c. (1. s.c. Ch. 4) in each of next 2 spaces. 1. s.c. in next space. 5 d.c. in next s.c. 1. s.c. in next space. Ch. 3. Shell in next Shell.* Repeat from * to * once. 1. d.c. in last space. Ch. 4. Turn.

7th row: Shell in 1st. Shell. *Ch. 3. 1. s.c. in next space. Ch. 4. 1. s.c. in centre d.c. of 5 d.c. of previous row. Ch. 4. (1. s.c. Ch. 4) in each of next 2 spaces. 1. s.c. in centre d.c. of next 5 d.c. Ch. 4. 1. s.c. in next space. Ch. 3. Shell in next Shell.* Repeat from * to * once. 1. d.c. in last space. Ch. 4. Turn.

8th row: Shell in 1st. Shell. *Ch. 3. (1. s.c. Ch. 4) in each of next 6 spaces. 1. s.c. in next space. Ch. 3. Shell in next Shell.* Repeat from * to * once. 1. d.c. in last space. Ch. 4. Turn.

**9th row: Shell in 1st. Shell. Ch. 3. *1. s.c. in next space. 5 d.c. in next s.c. (1. s.c. Ch. 4) in each of next 2 spaces.* Repeat from * to * to 2 spaces before 2nd Shell. 1. s.c. in next space.

5 d.c. in next s.c. 1. s.c. in next space. Ch. 3. Shell in Shell. Ch. 3 Repeat from * to * along other side to 2 spaces before 3rd Shell. 1. s.c. in next space. 5 d.c. in next s.c. 1. s.c. in next space. Ch. 3. Shell in Shell. 1. d.c. in last space. Ch. 4. Turn.

10th row: Shell in 1st. Shell. Ch. 3. *1. s.c. in next space, Ch. 4. 1. s.c. in centre d.c. of 5 d.c. of previous row. Ch. 4. 1. s.c. in next space. Ch. 4.* Repeat from * to * to space before the 5 d.c. before 2nd Shell. 1. s.c. in next space. Ch. 4. 1. s.c. in centre d.c. of 5 d.c. Ch. 4. 1. s.c. in next space. Ch. 3. Shell in Shell. Ch. 3. Repeat from * to * along other side to space before last 5 d.c. 1. s.c. in next space. Ch. 4. I. s.c. in centre d.c. of 5 d.c. Ch. 4. 1. s.c. in next space. Ch. 3. Shell in Shell. 1. d.c. in last space. Ch. 4. Turn.

11th row: Shell in 1st. Shell. Ch. 3. *1. s.c. in next space. Ch. 4.* Repeat from * to * to space before 2nd Shell. 1. s.c. in next space. Ch. 3. Shell in Shell. Ch. 3. Repeat from * to * along other side to space before 3rd Shell. 1. s.c. in next space. Ch. 3. Shell in Shell. 1. d.c. in last space. Ch. 4. Turn.** Repeat from ** to ** 16 times, then 11th row once.

There are 60 loops between 1st, and 2nd and 2nd and 3rd Shells and work measures approx. 23 ins. from ring at base to each corner, Proceed:—

To make Border: 1st round: Shell in 1st. Shell. Ch. 3. *1. s.c. in next space. Ch. 2. (3 d.c. Ch. 2. 3 d.c.) in next space. Ch. 2. 1. s.c. in next space. Ch. 2. * Repeat from * to * to 2nd Shell. Ch. 1 more st. Shell in Shell. Ch. 3. Repeat from * to * to 3rd Shell. Ch. 1 more st. Shell in Shell. Working along base of shawl, Ch. 3. Repeat from * to * to 3 spaces before the ring at centre of base. 1. s.c. in next space. Ch. 2. (3 d.c. Ch. 2. 3 d.c.) in next space. Ch. 2. 1. s.c. in next space. Ch. 2. Miss the ring. Repeat from * to * to 1st. Shell. Ch. 1 more st.

2nd round: Shell in 1st. Shell. Ch. 3. 1. s.c. in next space. *Ch. 3. Miss next space. (3 d.c. Ch. 2. 3 d.c.) in next Ch. 2 space between the d.c. groups of previous round. Ch. 3. Miss next space. 1. s.c. in next space. *Repeat from * to * to 2nd Shell. Ch. 3. Shell in Shell. Ch. 3. 1. s.c. in next space. Repeat from * to * to 3rd Shell. Ch. 3. Shell in Shell. Ch. 3. 1. s.c. in next space. Repeat from * to * to 3rd Shell. Ch. 3. Shell in Shell. Ch. 3. 1. s.c. in next space. Repeat from * to * to 1st. Shell. Ch. 3.

3rd round: 1. s.c. in 1st. Shell. Ch. 3. 1. s.c. in s.c. just worked. 1. s.c. in Shell. (This makes 1 Picot). Work 2 more Picots in Shell. Ch. 4. Miss 2 spaces. *1. s.c. in 1st. d.c. of next group. Work a Picot in each d.c. and the Ch. 2 space between groups, (7 Picots) working the last s.c. in next space. Ch. 2. Miss 1 space. * Repeat from * to * to space before 2nd Shell. Ch. 2 more sts. Miss 1 space. 1. s.c. in Shell. Work 3 Picots in Shell. Ch. 4. Miss 2 spaces. Repeat from * to * to 3rd Shell. Ch. 2 more sts. Miss 1 space. 1. s.c. in Shell. Work 3 Picots in Shell. Ch. 4. Miss 2 spaces. Repeat from * to * to 1st. Shell, omitting last Ch. 2. Fasten off.

Roll in a damp towel for several hours, then spread out flat, pinning each scallop out separately with rustless pins and leave until dry.

Helpful Information

Wl.fwd.-WOOL FORWARD.

This method is used in knitting. The wool is at the back of the work after knitting a st. and must be passed between the 2 needles to bring it to the front of the work as if for purling. Insert the point of the right hand needle into the next 2 sts. on the left hand needle and carrying the wool over and round the point of the right hand needle knit the 2 sts. together in the usual way. The wool is again at the back of the work ready for the next knit st.

W.R.N.-WOOL ROUND NEEDLE.

This method is used when making a Wl.fwd. st. in purling. The wool is already in front of the needle after purling a st. so wind the wool right round the right hand needle once before purling the following 2 sts. together.

W.O.N.-WOOL OVER NEEDLE.

This method is used when making a Wl.fwd. after purling a st. and before knitting the next st. The wool is already in front of the needle after the purled st. so leaving the wool in front, knit the next 2 sts. together in the usual way.

t.b.l.—THROUGH BACK OF LOOPS.

This method is often used instead of p.s.s.o. Insert the point of the right hand needle through the back of 2 loops on the left hand needle instead of the front and knit the 2 sts. together in the usual way. Instructions may also read "knit through back of st.". This makes a twisted st.

p.s.s.o.-PASS SLIPPED ST. OVER.

Used in Fancy patterns and as a method of decreasing. Put the point of the right hand needle into the next st. on the left hand needle and slip the st, onto the right hand needle without knitting it. Knit or purl the next st, then pull or pass the slipped st. over the knitted or purled st, and let it drop off the needle.

Sl. st.—SLIPPED ST.

Used when transferring a stitch from the left hand needle to the right hand needle, without knitting or purling it. Put the point of the right hand needle into the next st. on the left hand needle and pass the st. onto the right hand needle without knitting it. Always slip a st. knitways unless instructions tell you differently.

TO SEW SEAMS

Lay the edges of worked pieces together, flat, and sew on the wrong side, taking a st. with a st. Stretch the seams very slightly when sewing, otherwise they will not be as elastic as the rest of the work.

TO GRAFT STITCHES

*Inserting the wool needle as if for knitting into 1st. st. of front needle, draw it through the st. and slip the latter off the needle; inserting the needle, as if for purling into 2nd st. of front needle, draw wool through and let the st. remain on the needle; taking the wool under front needle and inserting the wool needle, as if for purling, into 1st. st. of back needle, draw the wool through this st. and slip the latter off the needle; inserting the needle, as if for knitting, into the 2nd st. of back needle, draw the wool through and let the st. remain on the needle; bring the wool forward under the needle and repeat from * until all sts. are worked off, darning in the end of wool securely.